

COCA Update

Clinician Outreach and Communication Activity (COCA) CDC Emergency Communication System

August 29, 2016

Did a colleague forward this to you? <u>Subscribe here</u> for future COCA Updates.

This issue contains guidance documents relevant to current public health events and information from **August 15 - August 29.**

The next COCA Update is scheduled for September 12.

For questions about these or other clinical issues, please write to us at <u>coca@cdc.gov</u>.

Additional Resources

<u>CDC Emergency on Twitter</u> <u>CDC Clinician Outreach and Communication Activity</u> <u>on Facebook</u> <u>COCA Home Page</u>

COCA News and Announcements

Recent COCA Calls

Zika Update: Clinical Laboratory Testing and Care of Infants with Congenital Zika Virus Infection Date: Tuesday, August 23, 2016

During this COCA Call, clinicians learned about these updated interim clinical guidelines, which include evaluation and management recommendations. This information can help pediatric healthcare providers better understand the appropriate tests and clinical approaches for evaluating and managing infants, born to mothers in the United States and its territories, with laboratory evidence of Zika virus infection. https://emergency.cdc.gov/coca/calls/2016/callinfo_082316.asp

Dosing and Titrating Opioids

Date: Wednesday, August 17, 2016

During this COCA Call, clinicians learned about the association between opioid dosage and opioid therapy benefits and harms. In addition, presenters used a case study of a patient with severe back pain on oxycodone to guide clinicians through safe opioid prescribing practices. https://emergency.cdc.gov/coca/calls/2016/callinfo_081716.asp

Updated Interim Zika Clinical Guidance for Pregnant Women and Data on Contraceptive Use to Decrease Zika-affected Pregnancies

Date: Tuesday, August 9, 2016

During this COCA Call, clinicians learned about the updated CDC interim guidance for caring for pregnant women with possible Zika virus exposure, and strategies for increasing access to contraceptive methods and services to minimize the number of pregnancies affected by Zika. https://emergency.cdc.gov/coca/calls/2016/callinfo_080916.asp

Archived COCA conference calls are available at <u>emergency.cdc.gov/coca/calls/index.asp</u>. Free continuing education (CME, CNE, ACPE, CEU, CECH, and AAVSB/RACE) are available for most calls. For more information about free CE, visit <u>emergency.cdc.gov/coca/continuingeducation.asp</u>

CDC Emergency Response

2016 Zika Virus



NEW: Key Zika Considerations for Healthcare Settings https://www.cdc.gov/zika/pdfs/key-zika-considerations.pdf

NEW: FDA Advises Testing for Zika Virus in All Donated Blood and Blood Components in the U.S. – (FDA) The U.S. Food and Drug Administration issued a revised guidance recommending universal testing of donated whole blood and blood components for Zika virus in the U.S. and its territories.

http://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm518218.htm

UPDATED: Key Messages—Zika Virus

A collection of the most up-to-date and cleared information on the ongoing Zika virus outbreak. <u>http://www.cdc.gov/zika/pdfs/zika-key-messages.pdf</u>

Zika Virus Information for Healthcare Providers

CDC's Zika webpage for healthcare provider resources. http://www.cdc.gov/zika/hc-providers/index.html

Zika Virus: Information for Clinicians Slide Set

http://www.cdc.gov/zika/pdfs/clinicianppt.pdf

Print Resources in Different Languages

CDC fact sheets and posters for distribution to patients are available in languages, including Spanish, Arabic, Tagalog, Vietnamese, Mandarin, Creole, and Korean. These resources cover a variety of topics, including travel information, insect repellent, sexual transmission, and mosquito control. <u>http://www.cdc.gov/zika/fs-posters/index.html</u>

Clinicians Caring for Pregnant Women and Women of Reproductive Age

NEW: Official CDC Health Alert Network (HAN) Health Advisory—CDC Expands Guidance for Travel and Testing of Pregnant Women, Women of Reproductive Age, and Their Partners for Zika Virus Infection Related to Mosquito-borne Zika Virus Transmission in Miami-Dade, Florida, August 2016 http://emergency.cdc.gov/han/han00394.asp

NEW: Zika Virus Testing for Any Pregnant Woman Not Living in an Area With Zika <u>http://www.cdc.gov/zika/pdfs/pregnanttestnotinarea.pdf</u>

MMWR Interim Guidance for Health Care Providers Caring for Pregnant Women with Possible Zika Virus Exposure — United States, July 2016

To increase the proportion of pregnant women with Zika virus infection who receive a definitive diagnosis, CDC recommends expanding real-time reverse transcription–polymerase chain reaction (rRT-PCR) testing. http://www.cdc.gov/mmwr/volumes/65/wr/mm6529e1.htm?s_cid=mm6529e1_w

U.S. Zika Pregnancy Registry and Tribal Healthcare Providers: How to Contribute http://www.cdc.gov/zika/pdfs/zika_pregnancyregistry_tribal.pdf

Consultation Service for Healthcare Providers Caring for Pregnant Women with Possible Zika Virus Infection

CDC maintains a 24/7 consultation service for health officials and healthcare providers caring for pregnant women. To contact the service, call 770-488-7100 or email <u>ZIKAMCH@cdc.gov</u>.

Outcomes of Pregnancies with Laboratory Evidence of Possible Zika Virus Infection in the United States, 2016

CDC will report two types of outcomes:

- Live-born infants with birth defects

- Pregnancy losses with birth defects http://www.cdc.gov/zika/geo/pregnancy-outcomes.html

Doctor's Visit Checklist: For Pregnant Women Who Traveled to an Area with Zika http://www.cdc.gov/zika/pdfs/docvisit-checklist-travelpreg.pdf

Doctor's Visit Checklist: For Pregnant Women Living in an Area with Zika http://www.cdc.gov/zika/pdfs/zika-clinicvisit-checklist.pdf

MMWR: Preventing Transmission of Zika Virus in Labor and Delivery Settings Through Implementation of Standard Precautions — United States, March 2016

CDC recommends Standard Precautions in all healthcare settings to protect both healthcare personnel and patients from infection with Zika virus as well as from blood-borne pathogens (e.g., human immunodeficiency virus [HIV] and hepatitis C virus [HCV]).

http://www.cdc.gov/mmwr/volumes/65/wr/mm6511e3.htm?s_cid=mm6511e3 w

Clinical Guidance for Healthcare Providers Caring for Pregnant Women http://www.cdc.gov/zika/hc-providers/pregnant-woman.html

Clinical Guidance for Healthcare Providers Caring for Women of Reproductive Age http://www.cdc.gov/zika/hc-providers/women-reproductive-age.html

Clinicians Caring for Infants and Children

NEW: Resources and Guidance for Healthcare Providers Caring for Infants Affected by Zika Virus http://www.cdc.gov/zika/hc-providers/infantschildren/resources-hc-providers-caring-for-infants.html

NEW: MMWR: Interim Guidance for the Evaluation and Management of Infants with Possible Congenital Zika Virus Infection — United States, August 2016



http://www.cdc.gov/mmwr/volumes/65/wr/mm6533e2.htm?s_cid=mm6533e2_w

NEW: Webcast Recordings: Clinical Evaluation & Management of Infants with Congenital Zika Infection During this meeting, pediatric health specialists, non-governmental partners, and federal officials gathered at CDC to discuss clinical evaluation and management of infants with congenital Zika virus infection in the United States.

http://www.cdc.gov/zika/hc-providers/webcast-clinicalevalution.html

Congenital Microcephaly Case Definitions

http://www.cdc.gov/zika/public-health-partners/microcephaly-case-definitions.html

Sexual Transmission

NEW: MMWR: Likely Sexual Transmission of Zika Virus from a Man with No Symptoms of Infection — Maryland, 2016

Based on the report's findings, it might be appropriate to consider persons who have condomless sex with partners returning from areas with ongoing Zika virus transmission as exposed to Zika virus, regardless of whether the returning traveler reports symptoms of Zika virus infection. http://www.cdc.gov/mmwr/volumes/65/wr/mm6534e2.htm?s_cid=mm6534e2_e

MMWR: Interim Guidance for Prevention of Sexual Transmission of Zika Virus — United States, July 2016

CDC is expanding its existing recommendations to cover all pregnant couples, which includes pregnant women with female sex partners. This guidance also describes what other couples (those who are not pregnant or

planning to become pregnant) can do to reduce the risk for Zika virus transmission. <u>http://www.cdc.gov/mmwr/volumes/65/wr/mm6529e2.htm?s_cid=mm6529e2_w</u>

Zika and Sexual Transmission

http://www.cdc.gov/zika/transmission/sexual-transmission.html

Travel Information

UPDATED: Advice for People Living in or Traveling to South Florida

The Florida Department of Health has identified two areas of Miami-Dade County where Zika is being spread by mosquitoes. In addition to the previously identified area in the Wynwood neighborhood, there is now mosquito-borne spread of Zika virus in a section of Miami Beach. http://www.cdc.gov/zika/intheus/florida-update.html

Country Classification Technical Guidance

To protect travelers from Zika, scientists and travel experts at CDC are monitoring the status of Zika in countries around the world and making appropriate travel recommendations. These recommendations are based on a number of factors, including the historical or current presence of Zika in the country. Based on this assessment, areas with Zika are classified as epidemic or endemic. http://www.cdc.gov/zika/geo/country-classification.html

Clinical Evaluation and Testing

NEW: When to Test for Zika Virus PDF

http://www.cdc.gov/zika/pdfs/when-to-test-zika.pdf

NEW: Collection and Submission of Specimiens for Zika Virus Testing at Time of Birth http://www.cdc.gov/zika/pdfs/collection-submission-specimens-zika-testing-at-birth.pdf

NEW: Collection and Submission of Fetal Tissues for Zika Virus Testing PDF http://www.cdc.gov/zika/pdfs/collection-submission-fetal-tissues-zika-testing.pdf

NEW: MMWR: Guillain-Barré Syndrome During Ongoing Zika Virus Transmission — Puerto Rico, January 1–July 31, 2016

Countries affected by Zika virus have reported increased cases of Guillain-Barré syndrome (GBS), an uncommon autoimmune disorder. In February 2016, the Puerto Rico Department of Health implemented the GBS Passive Surveillance System. Fifty-six suspected GBS cases with onset of neurologic signs were identified during January 1–July 31, 2016.

http://www.cdc.gov/mmwr/volumes/65/wr/mm6534e1.htm?s_cid=mm6534e1_e

Zika Virus Resources for Laboratories

http://www.cdc.gov/zika/laboratories/index.html

Testing for Zika Virus

Contact your state or local health department to facilitate testing. http://www.cdc.gov/zika/hc-providers/testing-for-zikavirus.html

Official CDC Health Alert Network (HAN) Health Update—CDC Recommendations for Subsequent Zika IgM Antibody Testing, June 2016

Testing for Zika virus infection using real-time reverse-transcription polymerase chain reaction (rRT-PCR) molecular assays is now commercially available. CDC provides further recommendations for actions to take when requesting Zika rRT-PCR testing from a commercial laboratory. http://emergency.cdc.gov/han/han00392.asp

MMWR: Interim Guidance for Interpretation of Zika Virus Antibody Test Results, June 2016

If serologic testing indicates recent flavivirus infection that could be caused by either Zika or dengue virus, patients should be clinically managed for both infections because they might have been infected with either virus. Patients with clinically suspected dengue should receive appropriate management to reduce the risk for hemorrhagic medical complications.

http://www.cdc.gov/mmwr/volumes/65/wr/mm6521e1.htm?s_cid=mm6521e1_e

Official CDC HAN Health Update—Diagnostic Testing of Urine Specimens for Suspected Zika Virus

Infection, May 2016 https://emergency.cdc.gov/han/han00389.asp

MMWR: Interim Guidance for Zika Virus Testing of Urine - United States, May 2016

http://www.cdc.gov/mmwr/volumes/65/wr/mm6518e1.htm?s_cid=mm6518e1_w

Clinical Evaluation & Disease

Zika virus is transmitted to humans primarily through the bite of an infected Aedes species mosquito. Most people infected with Zika virus are asymptomatic. Characteristic clinical findings are acute onset of fever with maculopapular rash, arthralgia, or conjunctivitis. Other commonly reported symptoms include myalgia and headache.

http://www.cdc.gov/zika/hc-providers/preparing-for-zika/clinicalevaluationdisease.html

State, Local, Tribal, and Territorial Health Department Resources

Interim CDC Zika Response Plan

The purpose of this document is to describe the CDC response plan for locally acquired cases of Zika virus infection in the continental United States and Hawaii. http://www.cdc.gov/zika/pdfs/zika-draft-interim-conus-plan.pdf

Zika Community Action Response Toolkit (Z-CART)

The Z-CART outlines an approach to risk communication and community engagement planning and is intended as a template for state, local, and tribal agencies to adapt to their needs and to use for reviewing plans for communicating about Zika during the event of a locally transmitted Zika virus. http://www.cdc.gov/zika/public-health-partners/z-cart.html

CDC Emergency Vector Control Request Form

http://www.cdc.gov/zika/public-health-partners/zika-vector-control-arf-2yearcontract.xlsx

U.S. Zika Pregnancy Registry

CDC has established the U.S. Zika Pregnancy Registry to learn more about pregnant women in the United States with confirmed Zika virus infection and their infants and is collaborating with state, tribal, local, and territorial health departments to collect information about pregnancy and infant outcomes following Zika virus infection during pregnancy.

http://www.cdc.gov/zika/hc-providers/registry.html

Zika Active Pregnancy Surveillance System (ZAPSS)/Sistema de Vigilancia Activa de Zika en Embarazos (SVAZE)

The Puerto Rico Department of Health and Centers for Disease Control and Prevention have developed a surveillance system called Zika Active Pregnancy Surveillance System (ZAPSS)/Sistema de Vigilancia Activa de Zika en Embarazos (SVAZE). The surveillance system will be used to evaluate the association between Zika virus infection during pregnancy and adverse outcomes during pregnancy, birth, and early childhood up to 3 years old.

http://www.cdc.gov/zika/public-health-partners/zapss.html

Pregnant Women With Any Laboratory Evidence of Possible Zika Virus Infection in the United States and Territories

These data reflect pregnant women in the US Zika Pregnancy Registry and the Zika Active Pregnancy Surveillance System in Puerto Rico.

http://www.cdc.gov/zika/geo/pregwomen-uscases.html

Zika Crisis and Emergency Risk Communication (CERC) Discussions

To address the communication concerns and needs of state, local, and territorial health communicators, as well as partner organizations, CDC hosted a series of Crisis and Emergency Risk Communication (CERC) teleconferences related to Zika issues. All teleconferences have been archived on CDC's website. https://emergency.cdc.gov/cerc/zika-teleconferences.asp

Zika Virus Microsite

CDC has developed an easily embeddable collection of Zika virus information for partner and stakeholder websites. This collection, called a microsite, can supplement partner web sites with CDC's up-to-date, evidence-based content. The content is automatically updated when CDC's website is updated. https://tools.cdc.gov/medialibrary/index.aspx#/microsite/id/234558

CDC News and Announcements

CDC Science Clips: Volume 8, Issue: 34

Each week select science clips are shared with the public health community to enhance awareness of emerging scientific knowledge. The focus is applied public health research and prevention science that has the capacity to improve health now.

www.cdc.gov/library/sciclips/issues/

Public Health Preparedness

Emergency Preparedness and Response for Health Professionals – (CDC) Find preparedness resources for health professionals at <u>http://emergency.cdc.gov/health-professionals.asp</u>

Emergency Preparedness and Response Training Resources for Clinicians – (CDC) Find online and in-person training resources at <u>emergency.cdc.gov/coca/trainingresources.asp</u>

Natural Disasters and Severe Weather



CDC Feature: Keep Your Cool in Hot Weather – (CDC) <u>http://www.cdc.gov/features/extremeheat/index.html</u>

Food and Water Needs: Preparing for a Disaster or Emergency – (CDC) emergency.cdc.gov/disasters/foodwater/prepare.asp

Health and Safety Concerns for All Disasters – (CDC)

emergency.cdc.gov/disasters/alldisasters.asp

Infectious, Vector-Borne, and Zoonotic Diseases

Seasonal Influenza

Information for Health Professionals – (CDC) http://www.cdc.gov/flu/professionals/index.htm

Weekly U.S. Influenza Surveillance Report: Flu View – August 20 (CDC) Flu View is a weekly influenza surveillance report prepared by CDC's Influenza Division. All data are preliminary and may change as CDC receives more reports. http://www.cdc.gov/flu/weekly/



Planning and Preparedness: Health Professionals and Seasonal Flu – (HHS) Healthcare providers play an important role during flu season. The following guidance and information will assist healthcare providers and service organizations to plan and respond to seasonal flu. www.flu.gov/planning-preparedness/hospital/index.html

Travel Safety

Current Travel Warnings – August 23 (U.S. Department of State) The U.S. Department of State issues Travel Warnings when long-term, protracted conditions make a country dangerous or unstable. Travel Warnings recommend that Americans avoid or carefully consider the risk of travel to that country. The State Department also issues Travel Warnings when the U.S. government's ability to assist American citizens is constrained due to the closure of an embassy or consulate or because of a drawdown of State Department staff.

travel.state.gov/content/passports/english/alertswarnings.html

Morbidity and Mortality Weekly Report (MMWR)

MMWR publications are prepared by CDC. To electronically subscribe, go to www.cdc.gov/mmwr/mmwrsubscribe.html

August 26, 2016 / Vol. 65 / No. 33 Download .pdf document of this issue

- <u>Fentanyl Law Enforcement Submissions and Increases in Synthetic Opioid–Involved Overdose Deaths</u>
 <u>— 27 States, 2013–2014</u>
- Increases in Fentanyl-Related Overdose Deaths Florida and Ohio, 2013–2015
- <u>National, Regional, State, and Selected Local Area Vaccination Coverage Among Adolescents Aged</u> <u>13–17 Years — United States, 2015</u>
- <u>Fractional-Dose Inactivated Poliovirus Vaccine Immunization Campaign Telangana State, India,</u> June 2016

Food, Drug, and Device Safety

NEW: Official CDC Health Alert Network (HAN) Health Update—Influx of Fentanyl-laced Counterfeit Pills and Toxic Fentanyl-related Compounds Further Increases Risk of Fentanyl-related Overdose and Fatalities – (CDC)

The purpose of this HAN update is to alert public health departments, health care professionals, first responders, and medical examiners and coroners to new developments that have placed more people at risk for fentanyl-involved overdoses from IMF and may increase the risk of non-fatal and fatal overdose. http://emergency.cdc.gov/han/han00395.asp

UPDATED: Multistate Outbreak of Burkholderia cepacia Infections - (CDC)

FDA released an updated statement including a voluntary recall of all of liquid products manufactured by PharmaTech and distributed by: Rugby, Major, Bayshore, Metron, Centurion, and Virtus. In addition to the above recall of all liquid products manufactured by PharmaTech, both FDA and CDC continue to recommend that clinicians and patients not use any brand of liquid docusate sodium product as a stool softener or for any other medical purpose.

http://www.cdc.gov/hai/outbreaks/b-cepacia/index.html

NEW: Oxacillin for Injection, USP, 10g by Sagent: Recall - Iron Oxide Particulate Matter – (FDA)

If metal particulate in an injectable product is administered to a patient, it may result in local swelling, irritation of blood vessels or tissue, or blockage of blood vessels. Blockage of blood vessels can lead to serious events, which may be life-threatening, such as stroke, heart attack, respiratory failure, kidney failure, or liver failure. http://www.fda.gov/Safety/MedWatch/SafetyInformation/SafetyAlertsforHumanMedicalProducts/ucm517409.htm

MedWatch: The FDA Safety Information and Adverse Event Reporting Program – (FDA)

MedWatch is your FDA gateway for clinically important safety information and reporting serious problems with human medical products.

http://www.fda.gov/Safety/MedWatch/default.htm

FoodSafety.gov: Reports of FDA and USDA Food Recalls, Alerts, Reporting, and Resources – (HHS/USDA/FDA/CDC/NIH)

Foodsafety.gov lists notices of recalls and alerts from both FDA and the U.S. Department of Agriculture. Visitors to the site can report a problem or make inquiries. www.foodsafety.gov/recalls/recent/index.html

Return to Top 👔

The Emergency Risk Communication Branch in the Division of Emergency Operations, Office of Public Health Preparedness and Response is responsible for the management of all COCA products.

For information about this update or other clinical issues, or to send your feedback, please contact us at coca@cdc.gov

CDC Clinician Outreach and Communication Activity Facebook page - connect with COCA on Facebook

Clinician Outreach and Communication Activity - resources for healthcare providers

COCA RSS Feed - subscribe to be notified of conference calls, updates, and CDC guidance for health providers

<u>Crisis & Emergency Risk Communication Training</u> – training program that draws from lessons learned during public health emergencies, and incorporates best practices from the fields of risk and crisis communication

<u>Health Alert Network</u> – CDC's primary method of sharing cleared information about urgent public health incidents with public information officers; federal, state, territorial, and local public health practitioners; clinicians; and public health laboratories



CDC and HHS logos are the exclusive property of the Department of Health and Human Services and may not be used for any purpose without prior express written permission. Use of trade names and commercial sources is for identification only and does not imply endorsement by the U.S. Department of Health and Human Services.

Links to non-federal organizations are provided solely as a service to our users. Links do not constitute an endorsement of any organization by CDC or the federal government, and none should be inferred. CDC is not responsible for the content of the individual organizations.